CORPUS CHRISTI REGIONAL TRANSPORTATION AUTHORITY

602 N. Staples, Corpus Christi, Texas 78401 | p. 361-289-2712 | f. 361-903-3578 | www.ccrta.org

ADDENDUM NO. 1

INVITATION FOR BIDS
FOR
BRASS FITTINGS & HYDRAULIC HOSES

IFB NO.: 2017-SP-09 **Date Issued: May 10, 2017**

INSTRUCTIONS:

(1) PROPOSER is required to comply with this Addendum No. 1.
(2) This Addendum No. 1 becomes a part of this Invitation for Bid.
(3) PROPOSER is required to acknowledge this Addendum No. 1 in the proper place on the Certification and Statement of Qualifications form.
(4) For additional information, please contact Annie Hinojosa, Director of Procurement or Sherrie Clay, Procurement Administrator at (361) 289-2712.

This Addendum No. 1 is issued to make the following changes and clarifications on IFB No. 2017-SP-09:

1. The CCRTA's response to Allison Transmission Tech, Inc.'s IFB submission are as follows:

APPENDIX G

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit this form for each Request for Information/exception/approved equal)

Page: 1 OF 4

VENDOR: ALLISON TRANS TECH

PROJECT: **IFB No. 2017-SP-09**

PAGE: 1 OF PRICE SHEET JIC PARAGRAPH: ___ SUBJECT: REUSABLE

Request: LINES 194 THRU 206 ARE REQUESTING FITTINGS PER 150 FEET. ARE YOU ASKING FOR INDIVIDUAL FITTINGS?

Signature

****

FOR CCRTA USE

Approved: _____ Disapproved: _____ Clarification: X

Response:

194-206 needs to be changed to Qty.25 not feet

Chief Executive Officer/Designee

APPENDIX G

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit this form for each Request for Information/exception/approved equal)

Page: 2 of 4

VENDOR:

PROJECT: **IFB No. 2017-SP-09**

PAGE: 1 OF JIC PRICE SHEET PARAGRAPH: ___ SUBJECT: REUSABLE JIC 90° ELBOW

Request: LINE 181 THRU 193 IS REQUESTING FITTINGS PER 150 FEET. ARE YOU ASKING FOR INDIVIDUAL FITTINGS?

Signature

****

FOR CCRTA USE

Approved: _____ Disapproved: _____ Clarification: X

Response:

181-193 needs to be changed to Qty.25 not feet

Chief Executive Officer/Designee

APPENDIX G

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST
(Please submit this form for each Request for Information/exception/approved equal)

Page: 3 OF 4

VENDOR: ALLISON TRANS TECH

PROJECT: **IFB No. 2017-SP-09**

PAGE: 2 OF PRICE SHEET PARAGRAPH: ___ SUBJECT: DOT AIR BRAKE FITTINGS

Request: ITEM # 63 IS A DOT SLEEVE, TUBE SIZE 3/16. THAT DOESN'T MATCH ANY OF THE FITTINGS. IS THIS SUPPOSED TO BE 1/4 TUBE SIZE?

Signature

****

FOR CCRTA USE

Approved: X Disapproved: _____ Clarification: _____

Response:

Yes, 1/4

Chief Executive Officer/Designee

APPENDIX G

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST
(Please submit this form for each Request for Information/exception/approved equal)

VENDOR: ALLISON TRANS TECH

PROJECT: **IFB No. 2017-SP-09**

PAGE: 5 OF PRICE SHEET PARAGRAPH: ___ SUBJECT: THERMO PLASTIC TUBE FITTINGS

Request: LINES 166 THRU 172. ARE THESE THE NON-DOT PUSH TO CONNECT FITTINGS. PLEASE CLARIFY.

Signature

****
****

FOR CCRTA USE

Approved: _____ Disapproved: X Clarification: _____

Response:
Have to meet the DOT & FMVSS requirements

Chief Executive Officer/Designee

2. The CCRTA's response to Hose of South Texas, Inc.'s RFI submissions are as follows:

APPENDIX G

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST
(Please submit this form for each Request for Information/exception/approved equal)

Page: 1 of 12

VENDOR: Hose of South Texas

PROJECT: **IFB No. 2017-SP-09**

PAGE: ___ PARAGRAPH: ___ SUBJECT: ___
Item #181 thru #206

Request:
Requesting to provide an approved equal from Lenz Co.

Signature

****

FOR CCRTA USE

Approved: _____ Disapproved: X Clarification: _____

Response:
Without knowing the actual specifications of the company's hoses, after checking Web site no data was present to confirm their products would meet the DOT specifications as required by Federal, State regulations for all transportation supplies.

Chief Executive Officer/Designee

APPENDIX G

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST
(Please submit this form for each Request for Information/exception/approved equal)

VENDOR: House of South Texas Page: 2 of 12

PROJECT: **IFB No. 2017-SP-09**

PAGE: JIC price schedule PARAGRAPH: items 181-206 SUBJECT: Request for Information

Request: Items shown are hose fittings, but quantity shows # of feet and cost per foot instead of each. Does this need to be corrected?

Signature

****

FOR CCRTA USE

Approved: _____ Disapproved: _____ Clarification: X

Response:

181-206 needs to be changed to QTY. 25 each not feet.

Chief Executive Officer/Designee

APPENDIX G

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST
(Please submit this form for each Request for Information/exception/approved equal)

Page: 3 of 12

VENDOR: Hose of South Texas

PROJECT: **IFB No. 2017-SP-09** Item # 1-156 fittings

PAGE: price schedule PARAGRAPH: ___ SUBJECT: Approved Equal

Request: Will CCTRA approve Tramec Sloan as an equal on the brass fittings (Pipe, 45 degree, DOT AIR Fittings, compression fittings, drain cocks, push-in DOT fittings) www.tramecsloan.com

Tripp Bailey
Signature

****

FOR CCRTA USE

Approved: X Disapproved: _____ Clarification: _____

Response:
Does comply with DOT & FMVSS 571.106 standards

Bryan Knox
Chief Executive Officer/Designee

APPENDIX G

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST
(Please submit this form for each Request for Information/exception/approved equal)

VENDOR: Hose of South Texas Page: 4 of 12

PROJECT: **IFB No. 2017-SP-09** ~~Item #~~ Items 157-165 DOT Air Brake Tubing

PAGE: Price schedule PARAGRAPH: ___ SUBJECT: Approved Equal

Request: Will CCRTA approve Tramec Sloan as an equal on the DOT Airbrake Tubing? Tramec Sloan provides private labeled tubing from Aeroquip (Eaton/Synflex) www.tramecsloan.com

J Bailey
Signature

****
****

FOR CCRTA USE

Approved: X Disapproved: _____ Clarification: _____

Response:

Does comply with DOT & FMVSS 571.106 standards

Chief Executive Officer/Designee

NYLON AIR BRAKE TUBING

TRAMEC SLOAN AIR BRAKE TUBING



FEATURES & BENEFITS

- UV and OZONE Resistant
- Gasoline, Diesel Fuel and other Chemicals Resistant
- Great Resistance Against Aging from Heat and Light
- Great Flexibility
- 150 PSI Working Pressure
- Manufactured Out of Heat and Light Stabilized Nylon
- Tubing from 1/8" to 1/4" are of Single-Wall Construction
- Tubing from 3/8" to 3/4" have a Double-Wall Construction with a Nylon Core, Synthetic Fiber Braid, and Nylon Cover

APPLICATIONS

- Truck Air Brake Systems
- Trailer Air Brake Systems
- Auxiliary Air Systems
- Formed Tubes
- Formed and Straight Air Brake Harness Assemblies

TEMPERATURE RANGE

Tramec Sloan Air Brake Tubing is designed for a wide operating temperature range: -40°F to 200°F (-40°C to 93°C)

STANDARD COMPLIANCE

Meets or Exceeds SAE J844 and DOT FMVSS 571.106

COLORS AVAILABLE

Tubing comes standard in **BLACK**, **BLUE**, **RED**, and **GREEN**. Special colors are also available upon request. Contact customer service for more information.



TRAMECSLOAN.COM | P: 800.336.7778 | F: 877.286.6515

APPENDIX G

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST
(Please submit this form for each Request for Information/exception/approved equal)

VENDOR:

PROJECT: **IFB No. 2017-SP-09**

PAGE: ____ PARAGRAPH: ___ SUBJECT: Item #83

Request: Neither Parker, Aeroquip, or Weatherhead make this part

Signature

****

FOR CCRTA USE

Approved: _____ Disapproved: _____ Clarification: X

Response:

Item no longer needed, remove from bid

Chief Executive Officer/Designee

APPENDIX G

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST
(Please submit this form for each Request for Information/exception/approved equal)

VENDOR:

PROJECT: **IFB No. 2017-SP-09**

PAGE: ____ PARAGRAPH: ___ SUBJECT: Item's # 101 and 102

Request: Are these Drain Cocks or are they Ground Plug Shutoff Valves?

Craig Houston
Signature

****

FOR CCRTA USE

Approved: _____ Disapproved: _____ Clarification: X

Response:

Bid drain cocks only

Bryan J. Dan
Chief Executive Officer/Designee

APPENDIX G

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST
(Please submit this form for each Request for Information/exception/approved equal)

Page: 7 of 12

VENDOR:

PROJECT: **IFB No. 2017-SP-09**

PAGE: ____ PARAGRAPH: ___ SUBJECT: Item's 117 and 118

Request: Neither Parker or Aeroquip or Weatherhead make these items.

Signature

****

FOR CCRTA USE

Approved: _____ Disapproved: _____ Clarification: X

Response:

Parker does make items 117 & 118 the part numbers are 369PTC-12-8, 369PTC-12-12

Chief Executive Officer/Designee

APPENDIX G

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST
(Please submit this form for each Request for Information/exception/approved equal)

Page: 8 of 12

VENDOR:

PROJECT: **IFB No. 2017-SP-09**

PAGE: ____ PARAGRAPH: ___ SUBJECT: Item #120

Request: 5/16" size is only available in Non-DOT fitting

Craig Glasburn
Signature

****

FOR CCRTA USE

Approved: _____ Disapproved: _____ Clarification: X

Response:

Item no longer needed

Bryan J Dan
Chief Executive Officer/Designee

APPENDIX G

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST
(Please submit this form for each Request for Information/exception/approved equal)

Page: 9 of 12

VENDOR:

PROJECT: **IFB No. 2017-SP-09**

PAGE: ____ PARAGRAPH: ___ SUBJECT: Item #124

Request: Neither Parker, Aeroquip, or Weatherhead make this item only up to 5/8" size

Craig Hatton
Signature

****

FOR CCRTA USE

Approved: _____ Disapproved: _____ Clarification: X

Response:

Parker does make item 124, part number is 32PTC-012

Bryan Dan
Chief Executive Officer/Designee

APPENDIX G

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST
(Please submit this form for each Request for Information/exception/approved equal)

VENDOR:

PROJECT: **IFB No. 2017-SP-09**

PAGE: ____ PARAGRAPH: ___ SUBJECT: Item #130

Request: 5/16" Tube Size is not available in DOT. only available in Non-DOT

Craig Hastings
Signature

****

FOR CCRTA USE

Approved: _____ Disapproved: _____ Clarification: X

Response:

Aeroquip does make a 5/16 DOT brake tube hose

Bryan Dan
Chief Executive Officer/Designee

APPENDIX G

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST
(Please submit this form for each Request for Information/exception/approved equal)

VENDOR:

PROJECT: **IFB No. 2017-SP-09**

PAGE: ____ PARAGRAPH: ___ SUBJECT: Item #137

Request: Parker, Aeroquip, Weatherhead do Not make in this configuration

Craig Hastings
Signature

****

FOR CCRTA USE

Approved: _____ Disapproved: _____ Clarification: X

Response:

Parker does make a 3/8 by 1/4 45 degree fitting part number 379PTC-4-6

Bryan Dan
Chief Executive Officer/Designee

APPENDIX G

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST
(Please submit this form for each Request for Information/exception/approved equal)

Page: 12 of 12

VENDOR:

PROJECT: **IFB No. 2017-SP-09**

PAGE: ___ PARAGRAPH: ___ SUBJECT: Item #163 thru 165

Request: Listed Manufacturers do not make OOT tubing in metric sizes.
Parker's 5/32" size is = 4mm and 5/16" size is = 7.9mm

Craig Hasken
Signature

****
****

FOR CCRTA USE

Approved: _____ Disapproved: _____ Clarification: X

Response:

Item no longer needed

Bryan Dan
Chief Executive Officer/Designee

2. The CCRTA's response to Hose of South Texas, Inc.'s RFI submissions are as follows: