



ADDENDUM NO. 2
INVITATION FOR BIDS
BUS AND ENGINE PARTS

IFB NO.: 2016-SP-14

Date Issued: September 28, 2016

INSTRUCTIONS:

- (1) BIDDER is required to comply with this Addendum No. 2.
- (2) This Addendum No. 2 becomes a part of this Invitation for Bids.
- (3) BIDDER is required to acknowledge this Addendum No. 2 in the proper place on the Certification and Statement of Qualifications form.
- (4) For additional information, please contact Sherrié Clay, Buyer at (361) 289-2712.

This Addendum No. 2 is issued to make the following changes and clarifications on IFB No. 2016-SP-14:

1. The first paragraph of the IFB on page 1 of 39 has been revised as follows:

Current:

Sealed bids will be received at the office of the Corpus Christi Regional Transportation Authority, hereinafter called the "CCRTA," at the Staples Street Center located at 602 N. Staples Street, Corpus Christi, Texas 78401, until 3:00 PM (CDST), Wednesday, October 12, 2016 for bus and engine parts. This is a two-year, firm-price supply agreement with two (2) one-year options. No escalation in price will be permitted over the term of the contract. **Multiple awards will be made to all responsible and responsive BIDDERS on a per part basis. Each part will be awarded to the three lowest bidders.**

Revised:

Sealed bids will be received at the office of the Corpus Christi Regional Transportation Authority, hereinafter called the "CCRTA," at the Staples Street Center located at 602 N. Staples

Street, Corpus Christi, Texas 78401, until 3:00 PM (CDST), Wednesday, October 12, 2016 for bus and engine parts. This is a two-year, firm-price supply agreement with two (2) one-year options. **Bid prices shall be good for one hundred twenty (120) calendar days from the bid opening date.** No escalation in price will be permitted over the term of the contract. **Multiple awards will be made to all responsible and responsive BIDDERS on a per part basis. Each part will be awarded to the three lowest bidders.**

2. The CCRTA's response to RFIs submitted by ELREG Distributors Ltd. is as follows:

APPENDIX F

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit this form for each Request for Information/exception/approved equal)

Page: 1/2

VENDOR: ELREG Distributors Ltd.
Toll Free 1-800-387-4078
PROJECT: RFP No. 2016-SP-14 Toll Free Fax 1-888-858-9317
PAGE: _____ PARAGRAPH: _____ SUBJECT: _____

x 233

Request: *FOR APPROVED EQUAL*
ELREG # 42-9228 STARTER
CCRTA # 53-19322-06, 10479228, 8200517R
53-19322-028.

Signature *MARK MARDONACIS*

FOR CCRTA USE

Approved: X Disapproved: _____ Clarification: _____

Response:

Bryan James

Chief Executive Officer/Designee

APPENDIX F

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit this form for each Request for Information/exception/approved equal)

ELREG

Distributors Ltd.

Toll Free 1-800-387-4078

Toll Free Fax 1-888-858-9317 X 233

Page: 2/2

VENDOR:

PROJECT: RFP No. 2016-SP-14

PAGE: _____ PARAGRAPH: _____ SUBJECT: _____

Request: FOR APPROVED EQUAL

ELREG # 39-2411RT OR 39-2412RT
CCRTA # 32-218, 39MT * AN OEM REFERENCE IS REQ'D
TO IDENTIFY*

Signature MARK MACDONALD

FOR CCRTA USE

Approved: _____ Disapproved: X Clarification: _____

Response: ELREG part numbers listed above ARE FOR OEM'S
DDC, Cummins ISX/ISM 11.9, Prevost + Bus, CAT C12C13 & MCI.
WE have Cummins 8.3G series.

DEICO #: 8200435

AFTER MARKET: IX6823N

Bryan Nam
Chief Executive Officer/Designee

3. The CCRTA's response to RFIs submitted by Reliable Transmission Service is as follows:

APPENDIX F

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit this form for each Request for Information/exception/approved equal)

Page: 1 of 5

VENDOR: RELIABLE TRANSMISSION SERVICE-TEXAS, LLC.


PROJECT: RFP No. 2016-SP-14

Line 240,248 ,250, 2638 on Main Parts List

PAGE: PARAGRAPH: SUBJECT: Clarification

Request:	25-021	FLYWHEEL RING GEAR GILLIG ISL	EA	29502093	1	-
	25-193	PLUG TRANS DRAIN GILLIG	EA	29534362	11	-
	25-194	SEAL TRANS FILLER TUBE GILLIG	EA	29546229	31	-
	TRA-048	SENSOR TRANS TEMP GILLIG	EA	15326309	1	-

Need clarification; listed with GILLIG OEM MFG but with Allison Transmission P/N is this in fact Allison?



Signature

FOR CCRTA USE

Approved: _____ Disapproved: _____ Clarification: X

Response: ~~NO~~ CORRECT!



Chief Executive Officer/Designee

APPENDIX F

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit this form for each Request for Information/exception/approved equal)

Page: 2 of 5

VENDOR: RELIABLE TRANSMISSION SERVICE-TEXAS, LLC.

PROJECT: RFP No. 2016-SP-14
Line 2656, 2657 on Main Parts List

PAGE: PARAGRAPH: SUBJECT: Clarification

	2656	EA	29549630	11	-
Request:	2657	EA	6510861704	11	-

Need Clarification; listed under WIP-161 (wipers) without a description but does have an Allison Transmission Assembly number AND Allison Transmission Serial number; Line 2656 is an assembly number for an Allison B400R transmission and Line 2657 is a serial number for an Allison B400R transmission neither of these line items are referenced in SERIAL-MODEL #'s Tab of Appendix A

Signature

FOR CCRTA USE

Approved: Disapproved: Clarification: X

Response:

Line # 2663 should be listed AS A B-400 TRANS. (29549630) use of protection !!
Line # 2664- is a ACTUAL SERIAL. Please Bid AS LISTED ON Appendix "F"

Chief Executive Officer/Designee

APPENDIX F

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit this form for each Request for Information/exception/approved equal)

Page: 3 of 5

VENDOR: RELIABLE TRANSMISSION SERVICE-TEXAS, LLC.

PROJECT: RFP No. 2016-SP-14

Line 2635, 2636 on Main Parts List

PAGE: PARAGRAPH: SUBJECT: Clarification


Line 2635 on Main Parts List EA E0615596AL 7

Need Clarification; it's listed under TRA-047 (transmission) without a description and the P/N is not an Allison

Request: Transmission P/N

Line 2636 on Main Parts List EA 29557354 7

Need Clarification; it's listed under TRA-047 (transmission) without a description but does have an Allison transmission p/n with a description of Valve Assy Solenoid




Signature

FOR CCRTA USE

Approved: Disapproved: Clarification: X

Response: Both #'s on Line's 2635 & 2636 ARE
A "VALVE TRANSMISSION ACCUMULATOR'S" 1/2


Chief Executive Officer/Designee

APPENDIX F

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit this form for each Request for Information/exception/approved equal)

Page: 4 of 5


VENDOR: RELIABLE TRANSMISSION SERVICE-TEXAS, LLC.

PROJECT: RFP No. 2016-SP-14
Line 244, 254, 256 on Main Parts List

PAGE: PARAGRAPH: SUBJECT: Clarification

	25-159	ECU TRANSMISSION GILLIG TROLLY	EA	53-56827-010	5	-
	25-500	COOLER TRANSMISSION CNG GILLIG	EA	02-72422-000	1	-
Request:	25-526	ACCUMULATOR TRANS GILLIG	EA	02-56936-000	1	-

Need clarification; description states it's for Transmission, but also shows GILLIG OEM MFG and references GILLIG P/N; if this is for the transmission it should have an Allison vendor p/n for reference
Also, on line 256 verify possible duplication of line 2634



Signature

FOR CCRTA USE

Approved: Disapproved: Clarification: X

Response: *LINE 244 IS A ALLISON PART 53-56827-010
LINE 254 & 256 ARE ANOTHER OEM PART #.
Also line 256 is NOT A duplication of line 2634*



Chief Executive Officer/Designee

APPENDIX F

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit this form for each Request for Information/exception/approved equal)


Page: 5 of 5

VENDOR: RELIABLE TRANSMISSION SERVICE-TEXAS, LLC.

PROJECT: RFP No. 2016-SP-14

PAGE: PARAGRAPH: SUBJECT: previous bid tabs

Request: Would you please distribute the bid tabs from the last time the Bus and Engine Parts bid was awarded?



Signature

FOR CCRTA USE

Approved: X Disapproved: Clarification:

Response: Please refer to Exhibit A.

Chief Executive Officer/Designee

4. The CCRTA's response to RFIs submitted by Romaine Electric Corporation is as follows:

APPENDIX F

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit this form for each Request for Information/exception/approved equal)

Page: 1

VENDOR: ROMAINE ELECTRIC CORPORATION

PROJECT: RFP No. 2016-SP-14

PAGE: 1 PARAGRAPH: 258 SUBJECT: RTA 31-024 VOLTAGE REGULATOR A2-321

Request: SUPERSEDED TO A2-214, WILL SUPPLY THIS PART NUMBER FROM EMAIL QUESTION #1

Casey Haskin
Signature

FOR CCRTA USE

Approved: X Disapproved: _____ Clarification: _____

Response:

Bryan Mann
Chief Executive Officer/Designee

APPENDIX F

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit this form for each Request for Information/exception/approved equal)

Page: 2

VENDOR: Romaine Electric Corporation

PROJECT: RFP No. 2016-SP-14

PAGE: 1 PARAGRAPH: line 365 SUBJECT: RTA 31-072R

Request: C.E. Niehoff Authorized & Certified Remanufacturing Facility Alternators Rebuilding for C.E. Niehoff Alternators Approval Request, Email Question #2

Casey Hasbin
Signature

FOR CCRTA USE

Approved: X Disapproved: _____ Clarification: _____

Response:

Bryan Damm
Chief Executive Officer/Designee

APPENDIX F

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit this form for each Request for Information/exception/approved equal)

Page: 3

VENDOR: Romaine Electric Corporation

PROJECT: RFP No. 2016-SP-14

PAGE: 1 PARAGRAPH: 418 SUBJECT: RFA 31-078 C701

Request: supplying new & rebuilt + upgraded C703 IN PLACE OF C701 AS IT HAS BEEN SUPERSEDED, QUESTION #3 FROM EMAIL

Casey Haskin
Signature

FOR CCRTA USE

Approved: X Disapproved: _____ Clarification: _____

Response:

Bryan D. ...
Chief Executive Officer/Designee

APPENDIX F

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit this form for each Request for Information/exception/approved equal)

Page: 4

VENDOR: ROMAINE ELECTRIC CORPORATION

PROJECT: RFP No. 2016-SP-14

PAGE: 1 PARAGRAPH: 1100 290 SUBJECT: ATA 32-214R 10479228

Request: APPROVAL EQUAL OF ROMAINE PART NUMBER 6897N. WE ONLY USE QUALITY PARTS AND BUILD OUR STARTERS TO O.E.M SPECIFICATIONS. CURRENTLY DO SIMILAR STARTERS FOR SEVERAL TRANSITS. FROM EMAIL QUESTION #6 CAN PROVIDE SAMPLE FOR TESTING & EVALUATION.

Casey Harkin
Signature

FOR CCRTA USE

Approved: X Disapproved: _____ Clarification: _____

Response:

Bryan J. Damm
Chief Executive Officer/Designee

APPENDIX F

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit this form for each Request for Information/exception/approved equal)

Page: 5

VENDOR: Romaine Electric Corporation

PROJECT: RFP No. 2016-SP-14

PAGE: 1 PARAGRAPH: ^{line}297

SUBJECT: ATA 32-229R 8200517R

Request: Approved equal of Romaine part # 41-6897-5S
we only use quality parts and build our units to OEM specifications.
currently doing similar starters for several transits, we can
provide samples for testing and evaluation
from email question # 8

Casey Hasbin
Signature

FOR CCRTA USE

Approved: X Disapproved: _____ Clarification: _____

Response:

Bryan Damm
Chief Executive Officer/Designee

APPENDIX F

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit this form for each Request for Information/exception/approved equal)

Page: 6

VENDOR: Romaine electric CORPORATION

PROJECT: RFP No. 2016-SP-14

PAGE: L PARAGRAPH: line 1888

SUBJECT: RTA E06-485 4953851 SPARK PLUGS

Request: APPROVED EQUAL STATUS FOR ROMAINE PART # REX 97-8251
PLEASE SEE SPARK PLUG ATTACHMENT.

Casey Hasbin

Signature

FOR CCRTA USE

Approved: X Disapproved: _____ Clarification: _____

Response: FOR USE ON ONLY ~~NON~~ NON-WARRANTY ENGINES! IF FAILURE RATE OF OVER 20% OCCURS RESERVOIR RIGHT TO STOP USING PRODUCT

Bryan Darr

Chief Executive Officer/Designee