



ADDENDUM NO. 1

REQUEST FOR PROPOSAL FOR DIGITAL SIGNAGE/CONTENT MANAGEMENT SOFTWARE (CMS) SOLUTION FOR TRANSFER STATIONS

RFP NO.: 2018-FP-05

Date Issued: March 27, 2018

INSTRUCTIONS:

- (1) BIDDER is required to comply with this Addendum No. 1.
- (2) This Addendum No. 1 becomes a part of this Request for Proposal.
- (3) **BIDDER is required to acknowledge this Addendum No. 1 in the proper place on the Certification and Statement of Qualifications form.**
- (4) For additional information, please contact Annie Hinojosa, Director of Procurement or Sherrié Clay, Procurement Administrator at (361) 289-2712.

This Addendum No. 1 is issued to make the following changes and clarifications on RFP No. 2018-FP-05:

1. The Corpus Christi Regional Transportation Authority has added Exhibit I, Images of the installation locations. Exhibit I is a PDF separate attachment available on the CCRTA's website at <http://www.ccrta.org/news-opportunities/business-with-us/>.

2. The Corpus Christi Regional Transportation Authority's (CCRTA) response to Zignage, LLC RFI submission is as follows:

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit one form for each Request for Information/exception/approved equal)

Page: 1

VENDOR: Zignage, LLC
PROJECT: RFP No. 2018-FS-05

PAGE: 19 PARAGRAPH: 1 SUBJECT: Request for Information

Request:

Are On-premises physical servers required?



Signature

FOR CCRTA USE

Approved: _____ Disapproved: _____ Clarification: _____ X

Response: No, On-premises server not required.



Chief Executive Officer/Designee

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit one form for each Request for Information/exception/approved equal)

Page: 2

VENDOR: Zignage, LLC

PROJECT: RFP No. 2018-FS-05

PAGE: 19 PARAGRAPH: 1 SUBJECT: Request For Information

Request:

Is an On-Premises VM appliance an option?



Signature

FOR CCRTA USE

Approved: _____ Disapproved: _____ Clarification: X

Response: Yes, but not preferred.



Chief Executive Officer/Designee

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit one form for each Request for Information/exception/approved equal)

Page: 3

VENDOR: Zignage, LLC
PROJECT: RFP No. 2018-FS-05

PAGE: 19 PARAGRAPH: 1 SUBJECT: Request For Information

Request:

Is a Cloud-based CMS required?



Signature

FOR CCRTA USE

Approved: _____ Disapproved: _____ Clarification: X _____

Response: No, but is preferred.



Chief Executive Officer/Designee

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit **one** form for **each** Request for Information/exception/approved equal)

Page: 4

VENDOR: Zignage, LLC

PROJECT: RFP No. 2018-FS-05


PAGE: 18

PARAGRAPH: 1

SUBJECT: Request For Information

Request:

Is On-site commissioning required?



Signature

FOR CCRTA USE

Approved: _____

Disapproved: _____

Clarification: X

Response: YES



Chief Executive Officer/Designee

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit one form for each Request for Information/exception/approved equal)

Page: 5


Zignage, LLC

VENDOR: _____
PROJECT: RFP No. 2018-FS-05

PAGE: 19 PARAGRAPH: 1 SUBJECT: Request For Information

Request:

Is there a multicast Video requirement?



Signature

FOR CCRTA USE

Approved: _____ Disapproved: _____ Clarification: X

Response: All displays need to be able to broadcast Video (MPEG4, MKV, MPEG2, etc).



Chief Executive Officer/Designee

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit one form for each Request for Information/exception/approved equal)

VENDOR: Zignage, LLC

Page: 6

PROJECT: RFP No. 2018-FS-05


PAGE: 18

PARAGRAPH: 1

SUBJECT: Request For Information

Request:

Is the existing Samsung display already mounted or will vendor be in charge of having the display installed?



Signature

FOR CCRTA USE

Approved: _____

Disapproved: _____

Clarification: _____ X

Response: Yes, The Samsung display is installed and mounted.



Chief Executive Officer/Designee

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit **one** form for **each** Request for Information/exception/approved equal)

VENDOR: Zignage, LLC

Page: 7

PROJECT: RFP No. 2018-FS-05

PAGE: 18

PARAGRAPH: 2

SUBJECT: Request For Information

Request:

Will system integration be required? e.g., integration via APIs to house systems.



Signature


FOR CCRTA USE

Approved: _____

Disapproved: _____

Clarification: _____ X

Response: No, Integration will not be needed.



Chief Executive Officer/Designee

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit **one** form for **each** Request for Information/exception/approved equal)

VENDOR: Zignage, LLC

Page: 8

PROJECT: RFP No. 2018-FS-05


PAGE: 18

PARAGRAPH: 1

SUBJECT: Request For Information

Request:

What are the display size requirements?



Signature

FOR CCRTA USE

Approved: _____

Disapproved: _____

Clarification: X _____

Response: 46 inches 16x9 Displays.



Chief Executive Officer/Designee

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit one form for each Request for Information/exception/approved equal)

VENDOR: Zignage, LLC

PROJECT: RFP No. 2018-FS-05

Page: 9


PAGE: 19

PARAGRAPH: 1

SUBJECT: Request For Information

Request:

Is there synchronized video (between and within displays) required?



Signature

FOR CCRTA USE

Approved: _____

Disapproved: _____

Clarification: X

Response: No, but is preferred.



Chief Executive Officer/Designee

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit **one** form for **each** Request for Information/exception/approved equal)

Page: 10


VENDOR: Zignage, LLC

PROJECT: RFP No. 2018-FS-05

PAGE: 18 PARAGRAPH: 1 SUBJECT: Request For Information

Request:

Is interactivity (touch, camera) required?



Signature

FOR CCRTA USE

Approved: _____ Disapproved: _____ Clarification: X

Response: NO



Chief Executive Officer/Designee

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit **one** form for **each** Request for Information/exception/approved equal)

VENDOR: Zignage, LLC

Page: 11

PROJECT: RFP No. 2018-FS-05

PAGE: 19

PARAGRAPH: 1

SUBJECT: Request For Information

Request:

Is there a requirement to integrate with an on-prem alert system?



Signature

FOR CCRTA USE

Approved: _____

Disapproved: _____

Clarification: X

Response: No, but is preferred (CCRTA currently uses Everbridge).



Chief Executive Officer/Designee

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit one form for each Request for Information/exception/approved equal)

VENDOR: Zignage, LLC

Page: 12

PROJECT: RFP No. 2018-FS-05


PAGE: 18

PARAGRAPH: 2

SUBJECT: Request For Information

Request:

Is content creation required?



Signature

FOR CCRTA USE

Approved: _____

Disapproved: _____

Clarification: _____ X

Response: Yes, The Software must have some type of default templates.



Chief Executive Officer/Designee

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit **one** form for **each** Request for Information/exception/approved equal)

VENDOR: Zignage, LLC

Page: 13

PROJECT: RFP No. 2018-FS-05


PAGE: 18

PARAGRAPH: 6

SUBJECT: Request For Information

Request:

Is on site training (vs web training) required?



Signature

FOR CCRTA USE

Approved: _____

Disapproved: _____

Clarification: X

Response: Turn Key Solution with On-Site Training Required.



Chief Executive Officer/Designee

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit **one** form for **each** Request for Information/exception/approved equal)

VENDOR: Zignage, LLC

Page: 14

PROJECT: RFP No. 2018-FS-05

PAGE: 18

PARAGRAPH: 1

SUBJECT: Request For Information

Request:

What is the distance from displays to power source?



Signature

FOR CCRTA USE

Approved: _____

Disapproved: _____

Clarification: X _____

Response: Estimated:

Staples Street Center 1ft, Port Ayers 5ft, South Side 15ft and Robstown 2ft.



Chief Executive Officer/Designee

3. The Corpus Christi Regional Transportation Authority's response Alpine Systems RFI submission is as follows:

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit one form for each Request for Information/exception/approved equal)

Page: 4

VENDOR: ALPINE SYSTEMS

PROJECT: RFP No. 2018-FS-05

PAGE: 18 PARAGRAPH: 3.1

SUBJECT: Video Display

Request:

ARE THE MONITORS AND KIOSKS TO BE PORTRAIT OR LANDSCAPE MOUNTED


Signature

FOR CCRTA USE

Approved: _____ Disapproved: _____ Clarification: X

Response: KIOSKS Portrait, and others Landscape 16x9.


Chief Executive Officer/Designee

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit one form for each Request for Information/exception/approved equal)

Page: 3

VENDOR: ALPINE SYSTEMS

PROJECT: RFP No. 2018-FS-05

PAGE: 18 PARAGRAPH: 31.1.7 SUBJECT: SPARE

Request:

IS THE SPARE MONITOR JUST A SPARE DISPLAY UNIT/MONITOR. OR IS IT A COMPLETE WEATHER RESISTANT UNIT? IF COMPLETE, IS IT A WALL MOUNT OR KIOSK


Signature

FOR CCRTA USE

Approved: _____ Disapproved: _____ Clarification: X

Response: Complete weather resistant unit. The monitor should be the same for both.


Chief Executive Officer/Designee

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit one form for each Request for Information/exception/approved equal)

Page: 2

VENDOR: ALPINE SYSTEM

PROJECT: RFP No. 2018-FS-05

PAGE: 18 PARAGRAPH: 3.11 SUBJECT: Video Display

Request: PLEASE CONFIRM - WE ARE ONLY TO MOUNT/INSTALL 5 OF THE UNITS WE PROVIDE, ONE IS A SPARE, THE SIXTH UNIT UP IN ROBSTOWN IS ALREADY INSTALLED, WE ARE TO PROVIDE ONLY THE CONTROLLER AND CELLULAR CONNECTION

Signature

FOR CCRTA USE

Approved: _____ Disapproved: _____ Clarification: X

Response: Yes

[Signature]
Chief Executive Officer/Designee

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit one form for each Request for Information/exception/approved equal)

Page: 1


VENDOR: ALPINE SYSTEMS

PROJECT: RFP No. 2018-FS-05

PAGE: 17 PARAGRAPH: 24 SUBJECT: INSTALL ELECTRICAL

Request:

IF WE ARE MOUNTING/INSTALLING THE KIOSK NEAR A COLUMN, SHOULD WE PLAN TO HAVE OUR ELECTRICIAN RECEIVE POWER FROM THE COLUMN OR SHOULD WE PLAN TO HAVE TO


Signature

RUN CABLE THRU THE CONDUITS ALL THE WAY BACK TO THE POWER CLOSET FOR CCRTA USE

Approved: _____ Disapproved: _____ Clarification: X

Response: Power outlet already in place.


Chief Executive Officer/Designee

4. The Corpus Christi Regional Transportation Authority's response AVI Systems RFI submission is as follows:

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit one form for each Request for Information/exception/approved equal)

Page: 40

VENDOR: AVI Systems

PROJECT: RFP No. 2018-FS-05

PAGE: 40 PARAGRAPH: 4th SUBJECT: 13% DBE Participation

Request:

I am asking for clarification on the mentioned 13% DBE. Is the number 13% an absolute requirement or is it "best faith effort" to utilize certified DBE for 13% of the contract?

Marcia Gatlin Senior Account Manager, AVI Systems
Signature

FOR CCRTA USE

Approved: _____ Disapproved: _____ Clarification: X

Response: The 13% DBE goal can be met through Good Faith Efforts. Please refer to page 45 of the bid packet. Good Faith Efforts is explained in detail in section 6.0 of the Special Provisions Concerning Disadvantaged Business Enterprise.

Annie Hovos
Chief Executive Officer/Designee