



**ADDENDUM NO. 2
INVITATION FOR BID
FOR
PARTS INVENTORY STORAGE CABINETS AND SHELVING**

IFB NO: 2020-FP-06

Date Issued: June 30, 2020

INSTRUCTIONS:

- (1) BIDDER is required to comply with this Addendum No. 2.
- (2) This Addendum No. 2 becomes a part of this Invitation for Bid.
- (3) **BIDDER is required to acknowledge this Addendum No. 2 in the proper place on the Certification and Statement of Qualifications form.**
- (4) For additional information, please contact Christina Perez, Director of Procurement/Grants, or Sherrié Clay, Procurement Administrator at (361) 289-2712.

This Addendum No. 2 is issued to make the following changes to IFB No. 2020-FP-06:

1. The Corpus Christi Regional Transportation Authority (CCRTA) has revised the Price Schedule (Appendix A) below.

Bidders must submit pricing on the Revised No. 2 Appendix A Price Schedule in order for Bidder's Bid to be deemed responsive and considered for this contract.

**REVISED NO. 2
APPENDIX A
PRICE SCHEDULE**

IFB No.: 2020-FP-06
Parts Inventory Storage
Cabinets and Shelving

BIDDER: _____

Instructions :

1. This is a firm-fixed price supply and service contract.
2. Refer to "Instructions to Bidders" and "Scope of Work" and quote your best price, FOB delivery to 5658 Bear Lane, Corpus Christi, Texas 78405 at no additional charges to the CCRTA.
3. **Submit one original Price Schedule.** On the outside of your sealed bid address your envelope with the information as noted in "Instructions to Bidders" Section 6 or submit your bid electronically to procurement@ccrta.org prior to the deadline.
4. Pricing **must include warranty, all labor, materials, freight, equipment, and permits required to complete the installation of this project** as specified in Section 5.0 Pricing of the "Scope of Work".

PARTS INVENTORY STORAGE CABINETS AND SHELVING

Cabinets							
Quantity (a)	Size	Make	Model	Drawers	Compartments	Unit Price (b)	Total Price (c) c = (a*b)
8	30 inch			8	104	\$	\$
6	30 inch			9	144	\$	\$
10	30 inch			10	188	\$	\$
8	30 inch			13	256	\$	\$
2	60 inch			5	86	\$	\$
5	60 inch			9	220	\$	\$
2	60 inch			7	132	\$	\$
2	60 inch			6	144	\$	\$

**REVISED NO. 2
APPENDIX A
PRICE SCHEDULE**

Continued

IFB No.: 2020-FP-06
Parts Inventory Storage
Cabinets and Shelving

BIDDER: _____

PARTS INVENTORY STORAGE CABINETS AND SHELVING

Cabinet Base							
Quantity (a)	Size	Make	Model	Drawers	Compartments	Unit Price (b)	Total Price (c) c = (a*b)
32	30 inch			N/A	N/A	\$	\$
11	60 inch			N/A	N/A	\$	\$
Overhead Shelf Cabinets							
Quantity (a)	Size	Make	Model	Drawers	Compartments	Unit Price (b)	Total Price (c) c = (a*b)
20	60 inch			N/A	2 Shelves	\$	\$
Total Cost							\$

Signature

Printed Name

Title

Date

2. The CCRTA has provided clarification on the following questions asked during the Pre-Bid Conference:

1) Will the cabinets be keyed?

Response: The cabinets will not be keyed.

2) How is the installation to be included in the unit price if Bidders do not know how long the installation will take?

Response: The installation will be a maximum of two days.

3) Will the floors need to be protected?

Response: No. The floors are concrete.

3. The CCRTA has added the following definitions to the Scope of Work in the IFB:

Successful bidder will **confirm** receipt of shipment date of delivery of cabinets, shelving, hardware etc. to the CCRTA's location at 5658 Bear Lane Corpus Christi, Texas 78405. The CCRTA will have all storage cabinets removed from the existing location of the equipment. The installation will not be hindered in any way by the existing cabinets.

Addendum No. 2 includes pictures showing the location of the existing cabinets to include the layout. The same location and layout will be used for the new cabinets. The size of the area will be 27 ½ feet wide and 20 ½ feet long for the footprint for the cabinets to be placed.

Installation: The actions or processes of installing the equipment to the actual resting placement of the product/equipment you are supplying as part of the bid. All actions or activities needed for getting the equipment/cabinets installed here at the CCRTA's location.

Unload: The actions or processes of removing the goods from (a vehicle, ship, container, etc.) to the actual resting placement of the product/equipment you are supplying as part of the bid. All actions or activities needed for getting the equipment/cabinets unloaded from the vehicle to the actual final placement of the cabinets in the CCRTA's inventory storage area.

Unpack: To undo or remove the contents from a box, trunk, any type packing material of etc. To remove (cabinets, shelving, any hardware) from a container or any type of securement device as part of shipping process etc. to the actual resting placement of the product/equipment you are supplying as part of the bid. All actions or activities needed for getting the equipment/cabinets from the vehicle to the actual final placement of the cabinets in the CCRTA's inventory storage area.

Packing Materials: All packing materials (cardboard, boxes, foam, wrapping paper, paper, strapping bands, any type of wood, plastics wraps, coatings etc.) from supplied equipment, cabinets or securement devices of material being shipped to the CCRTA's location at 5658 Bear Lane Corpus Christi, Texas 78405 will be the responsibility of the successful bidder to remove from the property at no cost to the CCRTA for any reason.

Dumpster: Will not be provided by the CCRTA as part of this IFB, due to the volume of packing material which will be required as part of this project. The successful bidder will be responsible for the removal and disposal of packing materials. (**Packing Materials**) All materials will be removed off property for disposal by the successful bidder. Adhering to all local, state and federal regulations required by law.

Forklift and Operator: As stated in Addendum No. 2, a forklift and operator will be supplied by the CCRTA to help assist in the removal from the truck to the warehouse location. The CCRTA will not be liable for any shipping damages which may have occurred during the shipment process from the original shipping location to 5658 Bear Lane Corpus Christi, Texas 78405 for any reason.

Bases/Top Shelves (cabinets): If the bidder's cabinets are designed to bolted/mounted to the base/Top Shelves unit, do not mount the base/Top Shelves to the unit until the cabinet is in its permanent location at the CCRTA's warehouse.

4. The CCRTA has included the following photos of the CCRTA's Maintenance Department's existing Parts Inventory Storage Cabinets and Shelving located at the CCRTA's Operations Facility at 5658 Bear Lane, Corpus Christi, Texas 78405 below:











BINS
U-X

BINS
R-T

5. The CCRTA's response to Coastal Office Solutions' RFI submission are as follows:

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit one form for each Request for Information/exception/approved equal)

Page: 1 OF 16

VENDOR: Coastal Office Solutions

PROJECT: IFB No. 2020-FP-06

PAGE: 5 of 49 PARAGRAPH: 5 SUBJECT: DELIVERY DATES

Request:

When is the expected delivery date? Refers to but I don't see date requested.
Will Monday-Friday, 8-5pm be acceptable time and date to be determined?

Debra C. Holder
Signature

FOR CCRTA USE

Approved: _____ Disapproved: _____ Clarification: X

Response: The successful bidder will confirm receipt of the shipment date of delivery of cabinets, shelving, hardware etc. to the CCRTA's location at 5658 Bear Lane Corpus Christi, Texas 78405. Once loaded for shipment to our facility, an accurate delivery date is needed for operational needs. Monday-Friday 8-4 PM delivery is accepted.

Bryan Garner
Chief Executive Officer/Designee

Digitally signed by Bryan Garner
DN: cn=Bryan Garner, o=CCRTA, ou=CCRTA, email=bgarner@ccrta.org
Date: 2020.07.16 13:38:50

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit one form for each Request for Information/exception/approved equal)

Page: 2 of 16

VENDOR: Coastal Office Solutions

PROJECT: IFB No. 2020-FP-06

PAGE: 4 of 49

PARAGRAPH: 7

SUBJECT: Approval of Manufacturer

Request:

We are proposing to bid Craftline Storage Systems.
Please review the attached information regarding Craftline
for approval to bid. They can meet your specifications given.
Warranty is only for 1 year.


Signature

FOR CCRTA USE

Approved: _____ Disapproved: X Clarification: _____

Response: After reviewing the documents provided for the Craftline unit, it was determined that none of the proposed Craftline products met the required specifications listed in the IFB for the cabinets with the drawer configuration and compartments. Warranty did not provide for 5 years as required.

Bryan Garner

Digitally signed by Bryan Garner
DN: dc=com, dc=RTA, ou=User Groups,
ou=ADM, cn=Bryan Garner,
email=bgarner@ccrta.org
Date: 2020.06.30 16:23:36 -05'00'

Chief Executive Officer/Designee

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit one form for each Request for Information/exception/approved equal)

Page: 3 of 16

VENDOR: Coastal Office Solutions

PROJECT: IFB No. 2020-FP-06

PAGE: 5 of 49 PARAGRAPH: .2 SUBJECT: multiple orders?

Request:

Will this be multiple orders?

Debra C. Holder
Signature

FOR CCRTA USE

Approved: _____ Disapproved: X Clarification: _____

Response: No. This will be one order.

Bryan Garner

Digitally signed by Bryan Garner
DN: dc=com, dc=RTA, ou=User Groups,
ou=ADM, cn=Bryan Garner,
email=bgarner@ccrta.org
Date: 2020.06.23 16:29:45 -05'00'

Chief Executive Officer/Designee

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit one form for each Request for Information/exception/approved equal)

Page: 4 of 16

VENDOR: Coastal Office Solutions

PROJECT: IFB No. 2020-FP-06

PAGE: 11 of 49 PARAGRAPH: 2 SUBJECT: Installation Permits Required

Request:

Are any permits required to received, unload or install the cabinets at the Corpus Christi Regional Transportation Authority?

Debra C. Holder
Signature

FOR CCRTA USE

Approved: _____ Disapproved: _____ Clarification: X

Response: There are no permits required to receive, unload or install the cabinets at the CCRTA's Operations Facility.

Bryan Garner

Digitally signed by Bryan Garner
DN: dc=com, dc=RTA, ou=User Groups, ou=ADM,
cn=Bryan Garner, email=bgarner@ccrta.org
Date: 2020.06.23 16:32:59 -05'00'

Chief Executive Officer/Designee

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit one form for each Request for Information/exception/approved equal)

Page: 5 of 16

VENDOR: Coastal Office Solutions

PROJECT: IFB No. 2020-FP-06

PAGE: 11 of 49 PARAGRAPH: 2 SUBJECT: Size of truck acceptable?

Request:

We will be receiving the cabinets on a large truck.
Is there a limit to the size of truck that can have access
in the unloading area?
Location at 5658 Bear Lane, Corpus Christi.

Debra C. Holder
Signature

FOR CCRTA USE

Approved: _____ Disapproved: _____ Clarification: X

Response: A Class C truck (box truck) or Class A truck (18 wheeler) with
up to a 53 foot trailer in length can access the unloading
area.

Bryan Garner

Digitally signed by Bryan Garner
DN: dc=com, dc=RTA, ou=User Groups, ou=ADM,
cn=Bryan Garner, email=bgarner@ccrta.org
Date: 2020.06.23 16:35:33 -05'00'

Chief Executive Officer/Designee

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit one form for each Request for Information/exception/approved equal)

Page: 6 of 16

VENDOR: Coastal Office Solutions

PROJECT: IFB No. 2020-FP-06

PAGE: 11 of 49 PARAGRAPH: 2 SUBJECT: forklift available?

Request:

I need to confirm there is a fork lift available on site to be used for unloading the cabinets? Do we need to provide driver or will CCRTA provide driver?

Debra C. Holder
Signature

FOR CCRTA USE

Approved: _____ Disapproved: _____ Clarification: X

Response: A forklift and operator will be supplied by the CCRTA to help assist in the removal from the truck to the warehouse location. The CCRTA will not be liable for any shipping damage which may have occurred during the shipment process from the original shipping location to 5658 Bear Lane Corpus Christi, Texas 78405 for any reason.

Chief Executive Officer/Designee

Bryan Garner

Digitally signed by Bryan Garner
DN: dc=com, dc=RTA, ou=User Groups, ou=ADM,
cn=Bryan Garner, email=bgarner@ccrta.org
Date: 2020.06.23 16:37:24 -05'00'

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit one form for each Request for Information/exception/approved equal)

Page: 7 of 16

VENDOR: Coastal Office Solutions

PROJECT: IFB No. 2020-FP-06

PAGE: 11 of 49 PARAGRAPH: 3 SUBJECT: Color of Cabinets

Request:

Do you have a Panatone Matching System, PMS, color for the Dark blue Powder paint?

Debra C. Holder
Signature

FOR CCRTA USE

Approved: _____ Disapproved: _____ Clarification: X

Response: A deep blue powder coated paint color is acceptable.

Bryan Garner
Digitally signed by Bryan Garner
DN: dc=com, dc=RTA, ou=User Groups,
ou=ADM, cn=Bryan Garner,
email=bgarner@ccrta.org
Date: 2020.06.23 16:40:39 -05'00'

Chief Executive Officer/Designee

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit one form for each Request for Information/exception/approved equal)

Page: 8 of 16

VENDOR: Coastal Office Solutions

PROJECT: IFB No. 2020-FP-06

PAGE: 11 of 49 PARAGRAPH: 5 SUBJECT: Compartment sizes?

Request:

Are the number of compartments noted for each unit to be divided evenly between drawers?
Is there a minimum size of compartment needed with different drawer heights?

Debra C. Holder
Signature

FOR CCRTA USE

Approved: _____ Disapproved: _____ Clarification: X

Response: Please review the Scope of Work which lists the minimum requirements for the cabinets as well as the pre-configurations for cabinets.

Bryan Garner

Digitally signed by Bryan Garner
DN: dc=com, dc=RTA, ou=User Groups,
ou=ADM, cn=Bryan Garner,
email=bgarner@ccrta.org
Date: 2020.06.23 16:44:57 -05'00'

Chief Executive Officer/Designee

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit one form for each Request for Information/exception/approved equal)

Page: 9 of 16

VENDOR: Coastal Office Solutions

PROJECT: IFB No. 2020-FP-06

PAGE: 11 of 49 PARAGRAPH: 3 SUBJECT: Gauge of steel cabinets and drawers.

Request:

Do you have steel gauge specifications for the cabinets and drawers?

Debra C. Holder
Signature

FOR CCRTA USE

Approved: _____ Disapproved: _____ Clarification: X

Response: The steel gauge proposed by the Bidder must meet the capacity of 400 lb. for each drawer and cabinet as described in the Scope of Work and include a 5 year warranty.

Bryan Garner
Digitally signed by Bryan Garner
DN: dc=com, dc=RTA, ou=User Groups,
ou=ADM, cn=Bryan Garner,
email=bgarner@ccrta.org
Date: 2020.06.23 17:00:47 -05'00'

Chief Executive Officer/Designee

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit one form for each Request for Information/exception/approved equal)

Page: 10 of 16

VENDOR: Coastal Office Solutions

PROJECT: IFB No. 2020-FP-06

PAGE: 11 of 49 PARAGRAPH: 3 SUBJECT: Drawer Capacity is 400 lbs.

Request:

Drawer Capacity requested was 400 lbs per drawer.
Would this be per drawer or per unit?


Signature

FOR CCRTA USE

Approved: _____ Disapproved: _____ Clarification: X

Response: This is per drawer. Each drawer capacity must hold 400 lbs. as listed under the Specifications in the Scope of Work (page 11 of 49) of the IFB.

Bryan Garner

Digitally signed by Bryan Garner
DN: dc=com, dc=RTA, ou=User Groups,
ou=ADM, cn=Bryan Garner,
email=bgarner@ccrta.org
Date: 2020.06.23 17:03:39 -05'00'

Chief Executive Officer/Designee

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit **one** form for **each** Request for Information/exception/approved equal)

Page: 11 of 16

VENDOR: Coastal Office Solutions

PROJECT: IFB No. 2020-FP-06

PAGE: 11 of 49 PARAGRAPH: 5 SUBJECT: Weight of Units.

Request:

You have specified shipping weights. Is this the weight for all the units of that size or weight per unit? This would be a much heavier gauge.


Signature

FOR CCRTA USE

Approved: _____ Disapproved: _____ Clarification: X

Response: Please refer to the Specifications under the Scope of Work (pages 11-13) in the IFB for the weight of each cabinet and unit. Each cabinet and unit has a different weight.

Bryan Garner

Digitally signed by Bryan Garner
DN: dc=com, dc=RTA, ou=User Groups,
ou=ADM, cn=Bryan Garner,
email=bgarner@ccrta.org
Date: 2020.06.23 17:06:10 -05'00'

Chief Executive Officer/Designee

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit one form for each Request for Information/exception/approved equal)

Page: 12 of 16

VENDOR: Coastal Office Solutions

PROJECT: IFB No. 2020-FP-06

PAGE: 11 of 49 PARAGRAPH: 3 SUBJECT: Graphics on cabinets

Request:

Do you want a company logo or any other graphics on Cabinets?

Debra C. Holder
Signature

FOR CCRTA USE

Approved: _____ Disapproved: _____ Clarification: X

Response: No logo's or graphics are required.

Bryan Garner

Digitally signed by Bryan Garner
DN: dc=com, dc=RTA, ou=User Groups,
ou=ADM, cn=Bryan Garner,
email=bgarner@ccrta.org
Date: 2020.06.23 17:07:39 -05'00'

Chief Executive Officer/Designee

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit one form for each Request for Information/exception/approved equal)

Page: 13 of 16

VENDOR: Coastal Office Solutions

PROJECT: IFB No. 2020-FP-06

PAGE: 13 of 49 PARAGRAPH: 4 SUBJECT: Shelf with NO doors

Request:

Specifications for the overhead shelf cabinets state open face cabinets. Just confirming this means without doors.

Debra C. Holder
Signature

FOR CCRTA USE

Approved: _____ Disapproved: _____ Clarification: X

Response: No doors are required.

Bryan Garner

Digitally signed by Bryan Garner
DN: dc=com, dc=RTA, ou=User Groups, ou=ADM,
cn=Bryan Garner, email=bgarner@ccrta.org
Date: 2020.06.23 17:10:40 -05'00'

Chief Executive Officer/Designee

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit one form for each Request for Information/exception/approved equal)

Page: 14 of 16

VENDOR: Coastal Office Solutions

PROJECT: IFB No. 2020-FP-06

PAGE: 13 of 40 PARAGRAPH: 4 SUBJECT: 400 LB SHELF

Request:

Does the shelf for the Overhead Shelf Cabinet need to be spot welded for adjustable?

Debra C. Holder
Signature

FOR CCRTA USE

Approved: _____ Disapproved: _____ Clarification: X

Response: The actual overhead shelf cabinet must be meet the 400 lb. capacity per shelf and be adjustable.

Bryan Garner

Digitally signed by Bryan Garner
DN: dc=com, dc=RTA, ou=User Groups,
ou=ADM, cn=Bryan Garner,
email=bgarner@ccrta.org
Date: 2020.06.23 17:12:16 -05'00'

Chief Executive Officer/Designee

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit one form for each Request for Information/exception/approved equal)

Page: 15 of 16

VENDOR: Coastal Office Solutions


PROJECT: IFB No. 2020-FP-06

PAGE: 3 of 49 PARAGRAPH: 2 SUBJECT: Insurance submittal

Request:

It states we are to submit a copy of insurance with the bid.
Please confirm this is the insurance you need with the bid

1. Commercial general liability insurance with min policy limits of \$1,000,000.
2. Automobile liability insurance with a combined single limit of \$1,000,000.
3. Contractual liability insurance covering contractors' indemnificatin obligations.
4. Workers' compensation as required y statute and employer's liability insurance with policy limits of \$300,000. containing a waiver of surrogation endorsement.




Signature

FOR CCRTA USE

Approved: _____ Disapproved: _____ Clarification: X

Response: Please refer to Section 26. Liability Insurance Coverage and 27. Workers' Compensation in the Standard Supply Terms and Conditions in the IFB and to Section 5. Liability Insurance Coverage and 6. Workers' Compensation in the Standard Service Terms and Conditions in Addendum No.1.



Chief Executive Officer/Designee

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit one form for each Request for Information/exception/approved equal)

Page: 16 of 16

VENDOR: Coastal Office Solutions

PROJECT: IFB No. 2020-FP-06

PAGE: 4 of 49 PARAGRAPH: 7 SUBJECT: Approval of Manufacturer

Request:

We are proposing to bid Lyon Workspace Products.
Please review the attached information regarding Lyon
for approval to bid. They can meet y our specifications given.



Signature

FOR CCRTA USE

Approved: _____ Disapproved: X Clarification: _____

Response: After reviewing the documents provided for the Lyon unit, it was determined that none of the proposed Lyon products met the required specifications listed in the IFB for the cabinets with the drawer configuration and compartments. Documents did not include the Preconfigured Overhead Shelf Cabinets.

Bryan Garner

Digitally signed by Bryan Garner
DN: dc=com, dc=RTA, ou=User Groups,
ou=ADM, cn=Bryan Garner,
email=bgarner@ccrta.org
Date: 2020.06.30 16:24:14 -05'00'

Chief Executive Officer/Designee

6. The CCRTA's response to Stanley Black & Decker's RFI submissions are as follows:

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit **one** form for **each** Request for Information/exception/approved equal)

Page: 1 of 2

VENDOR: Stanley Black & decker

PROJECT: IFB No. 2020-FP-06

PAGE: 1 PARAGRAPH: 2 SUBJECT: Funding

Request: Will these be a state funded job?

Noel Padron

Signature

FOR CCRTA USE

Approved: _____ Disapproved: _____ Clarification: X

Response: This is not a state funded procurement. However, it is a federally funded procurement as stated on Page 1 of the IFB as follows:
"It is anticipated that any supplies under the resulting contract from this solicitation may be funded by the Federal Transit Administration (FTA) 5339 fund and is contingent upon funding availability; therefore, all rules and regulations related to the funding source apply."

Christina A. Perez

Chief Executive Officer/Designee

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit one form for each Request for Information/exception/approved equal)

Page: 2 of 2

VENDOR: Stanley Black & decker

PROJECT: IFB No. 2020-FP-06

PAGE: 14 PARAGRAPH: 4.0 SUBJECT: Installation

Request: What is the definition of installaton? Is it unload and unpackage?
is there specific schematic for the layout?

Noel Padron

Signature

FOR CCRTA USE

Approved: _____ Disapproved: _____ Clarification: X

Response: Please refer to No. 3 in this addendum for the definition of installation, unload and unpack. The layout will be the same as the existing cabinets and shelving as illustrated in the photos enclosed in this addendum in No. 4.

Bryan Garner

Digitally signed by Bryan Garner
DN: dc=com, dc=RTA, ou=User Groups, ou=ADM,
cn=Bryan Garner, email=bgarner@ccrta.org
Date: 2020.06.30 09:56:06 -05'00'

Chief Executive Officer/Designee

7. The CCRTA's response to The Lilly Company's RFI submissions are as follows:

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit one form for each Request for Information/exception/approved equal)

Page: 1

VENDOR: The Lilly Company

PROJECT: IFB No. 2020-FP-06

PAC Adendem #1 PARAGRAPH: SUBJECT: Installation -
1st page last paragraph

Request:

Will Forklift & Operator be provided?

Bryan Garner
Signature

FOR CCRTA USE

Approved: Disapproved: Clarification: X

Response: A forklift and operator will be supplied by the CCRTA to help assist in the removal from the truck to the warehouse location. The CCRTA will not be liable for any shipping damage which may have occurred during the shipment process from the original shipping location to 5658 Bear Lane, Corpus Christi, TX 78405 for any reason.

Bryan Garner

Digitally signed by Bryan Garner
DN: dc=com, dc=RTA, ou=User Groups, ou=ADM, cn=Bryan
Garner, email=bgarner@ccrta.org
Date: 2020.06.23 14:06:03 -0500

Chief Executive Officer/Designee

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit one form for each Request for Information/exception/approved equal)

Page: 2

VENDOR: The Lilly Company

PROJECT: IFB No. 2020-FP-06

PAC Adendum #1 PARAGRAPH: SUBJECT: Installation -
1rst page last paragraph

Request:

Will a dumpster be provided for dunnage?

Ken Lenderman
Signature

FOR CCRTA USE

Approved: Disapproved: Clarification: X

Response: A dumpster will not be provided by the CCRTA. The successful bidder will be responsible for the removal and disposal of all packing materials. All materials will be removed from the CCRTA's property for disposal by the successful bidder and must adhere to all local, state and federal regulations required.

Chief Executive Officer/Designer
Bryan Garner
Digitally signed by Bryan Garner
DN: dc=com, dc=RTA, ou=User Groups,
ou=ADM, cn=Bryan Garner,
email=bgarner@ccrta.org
Date: 2020.06.23 14:14:21 -05'00'

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit **one** form for **each** Request for Information/exception/approved equal)

Page: 3

VENDOR: The Lilly Company

PROJECT: IFB No. 2020-FP-06

PAC Adendum #1 PARAGRAPH: SUBJECT: Installation -
1rst page last paragraph

Request: With the installation the top shelving units will be attached to the top via bolted connection through common existing holes/punch outs and placed. Without bases these will be difficult to relocate.



Signature

FOR CCRTA USE

Approved: _____ Disapproved: _____ Clarification: X

Response: If the cabinets are designed to be bolted/mounted to the base or top shelving units, do not mount the base or top shelves to the unit until the cabinet is in its permanent location at the CCRTA's warehouse.

Evan Carter

Chief Executive Officer/Designee

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit one form for each Request for Information/exception/approved equal)

Page: 4

VENDOR: The Lilly Company

PROJECT: IFB No. 2020-FP-06

PAC Adendum #1 PARAGRAPH: SUBJECT: Installation -
1rst page last paragraph

Request:

Will the area be free and clear so that the installation will not be hindered by existing cabinets?


Signature

FOR CCRTA USE

Approved: Disapproved: Clarification: X

Response: The CCRTA will have all storage cabinets removed from the existing location of the equipment. The installation will not be hindered in any way from existing cabinets.

Bryan Garner

Digitally signed by Bryan Garner
DN: dc=com, dc=RTA, ou=User Groups, ou=ADM,
cn=Bryan Garner, email=bgarner@ccrta.org
Date: 2020.06.23 14:23:46 -05'00'

Chief Executive Officer/Designee

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit one form for each Request for Information/exception/approved equal)

Page: 1

VENDOR: The Lilly Company

PROJECT: IFB No. 2020-FP-06

PAGE: 4 PARAGRAPH: SUBJECT: Alternate Bids

Request:

Will Rousseau Be accepted as an Alternate?



Signature

FOR CCRTA USE

Approved: X Disapproved: Clarification:

Response: Approved

Bryan Garner

Digitally signed by Bryan Garner
DN: dc=com, dc=RTA, ou=User Groups,
ou=ADM, cn=Bryan Garner,
email=bgarner@ccrta.org
Date: 2020.06.30 10:28:21 -05'00'

Chief Executive Officer/Designee

APPENDIX J

REQUEST FOR INFORMATION/EXCEPTIONS/APPROVED EQUALS REQUEST

(Please submit **one** form for **each** Request for Information/exception/approved equal)

Page: 1

VENDOR: The Lilly Company

PROJECT: IFB No. 2020-FP-06

PAGE: 41 PARAGRAPH: 2 SUBJECT: Buy American Cert.

Request: The Company I represenent is Manufactured in Canada, will my bid be accepted?




Signature

FOR CCRTA USE

Approved: _____ Disapproved: _____ Clarification: x

Response: Your bid will be accepted and reviewed based on the following.

Please keep in mind that an American-based company whose manufacturer is located outside the U.S. can bid on an FTA-funded solicitation. However, unless the manufactured product, steel, or iron required by the solicitation are produced in the U.S. in accordance with FTA’s Buy America regulation at 49 CFR 661.5, an American-based company would have to sign a Buy America Certificate of Non-Compliance (Appendix F).



Chief Executive Officer/Designee